A Smart Choice for Wise Corporate

CyberPower®
Reliability. Quality. Value.

The Office Rackmount Series offers users from SMEs to corporate data centers clean and stable power supply with the featured RJ11/RJ45 port ensures phone, fax, and modem lines are protected from surges. With Automatic Voltage Regulation (AVR) stabilizes the AC signal and maintains a safe voltage, this allows the UPS to maintain safe power levels for the connected equipment without resorting to battery power. The multifunction LCD readout provides immediate access to precise information of critical power/battery condition. An optional SNMP/HTTP Remote Management Capability enables remote management and control of the system through standard web browser.

The included PowerPanel® Business Edition management software provides corporate servers and critical workstations comprehensive network power management including unattended-shutdown, event logging, reporting, and notifications.With the patented GreenPower UPS™ Technology offers clean and stable battery backup, Office Rackmount Series can save up to 75% of electricity therefore save your electricity expenses.

Applications

- Home and Home Office
- Home Theater System
- Small Office
- Medium Business

Series Features

- GreenPower UPS™ Technology
- Line-Interactive UPS Topology
- Automatic Voltage Regulator (AVR)
- EMI, RFI, Surge and Spike Protection
- Phone/Fax/Modem/DSL/Network Protection
- Auto-Restart/Auto-Charge
- Protected On/Off Switch
- Multifunction LCD Readout
- USB & Serial Connectivity Port
- Hot-Swappable Battery Packs
- User-Replaceable Batteries
- SNMP/HTTP Remote Management Capability (Optional)
- PowerPanel® Business Edition Software

Energy-Saving	AVR	Surge Protection
Phone Line Protection	LCD Display	SNMP/HTTP

Front

Back

GreenPower UPS™

ENERGY-SAVING TECHNOLOGY
The patented advanced energy-saving technology improves the operating efficiency and eliminates waste energy consumption.

PowerPanel® Business Edition Management S/W

AUTO-SHUTDOWN SOFTWARE
CyberPower PowerPanel® Business Edition Management Software, is compatible with Windows7, Vista, XP, 2000 Pro., ME, 98, Windows Server 2008, 2003, Mac and Linux.

Software functions may vary due to firmware version and/or hardware constraints.

Technical Specification

CyberPower®
Reliability. Quality. Value.

Model	OR600ELCDRM1U	OR1000ELCDRM1U	OR1500ELCDRM1U
Configuration			
Capacity (VA / Watts)	600 / 360	1000 / 600	1500 / 900
Energy-Saving Technology	Yes		
Input			
Input Voltage Range	160Vac - 265Vac		
Frequency Range	47 Hz – 63 Hz (Auto Sensing)		
Input Plug Type	IEC 320 C14		
Output			
UPS Outlets (Numbers)	(6) IEC (Backup x 4)		
On Battery Output Voltage	Simulated Sinewave at 230 Vac +/- 10%		
On Battery Output Frequency	50 Hz / 60 Hz +/- 1%		
Transfer Time (Typical)	4ms		
Overload Protection	On Utility: Circuit Breaker & Internal Current Limiting On Battery: Internal Current Limiting		
AVR	Single Boost		
Surge Protection and Filtering			
Surge Protection	Yes		
DSL / Phone / FAX / Modem Protection	RJ11 / RJ45 (One In / One Out)		
Physical			
Dimensions (H x W x D) (mm)	44 x 430 x 235	44 x 433 x 389	44 x 433 x 495
Weight (kg)	8.1	16.1	19.4
Battery			
Sealed Maintenance Free Lead Acid Battery	6V / 9AH x 2	6V / 7AH x 4	6V / 9AH x 4
User Replaceable	Yes		
Typical Recharge Time	8 Hours		
Runtimes			
Half-load / Full-load (mins)	12 / 4	14 / 4	11 / 3
Status Indicators			
Indicators	Power On, Wiring Fault		
Audible Alarms	On Battery, Low Battery, Overload		
Multi-function LCD Readout	Yes		
Communication			
PowerPanel® Business Edition	Windows 7 / Vista / XP / 2000, Server 2008 / 2003, Linux		
Management			
Self Test	Yes		
Auto-Charge / Auto-Restart	Yes		
Connectivity Ports	USB, Serial		
SNMP/HTTP Capable	Optional		

#All specifications are subject to change without notice. ©2012 Cyber Power Systems. All Trademarks are the property of their owners.

Packaging Content:

Product Unit 　USB Cable 　Phone Cable 　User Manual 　Software CD

AVR AUTOMATIC VOLTAGE REGULATOR

€ 50,000 CONNECTED EQUIPMENT LIFETIME GUARANTEE

DISTRIBUTED BY:

ENERGY-SAVING TECHNOLOGY

RoHS

PCT АИ 30

CE